

Boring Designation BI-PB-150-12

DRILLING LOG		DIVISION South Atlantic		INSTALLATION Mobile District		SHEET 1 OF 1 SHEETS	
1. PROJECT MsCIP Barrier Island Restoration Petit Bois Pass- AL East				9. SIZE AND TYPE OF BIT N/A			
2. BORING DESIGNATION BI-PB-150-12		LOCATION COORDINATES E = 1,145,974 N = 253,217		10. COORDINATE SYSTEM/DATUM State Plane, MSE (U.S. Ft.)		HORIZONTAL NAD83 VERTICAL NAVD88	
3. DRILLING AGENCY Corps of Engineers - CESAM		CONTRACTOR FILE NO.		11. MANUFACTURER'S DESIGNATION OF DRILL Vibracore		<input type="checkbox"/> AUTO HAMMER <input type="checkbox"/> MANUAL HAMMER	
4. NAME OF DRILLER American Vibracore Systems, Inc.				12. TOTAL SAMPLES		DISTURBED UNDISTURBED (UD) 0	
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		DEG. FROM VERTICAL		13. TOTAL NUMBER CORE BOXES			
		BEARING		14. WATER DEPTH 39.2 Ft.			
6. THICKNESS OF OVERBURDEN N/A				15. DATE BORING		STARTED 12-19-12 COMPLETED 12-19-12	
7. DEPTH DRILLED INTO ROCK N/A				16. ELEVATION TOP OF BORING -39.0 Ft.			
8. TOTAL DEPTH OF BORING 17.4 Ft.				17. TOTAL RECOVERY FOR BORING 100%			
				18. SIGNATURE AND TITLE OF INSPECTOR Mike FitzHarris, Geologist			
ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	SAMPLE	LABORATORY RESULTS		
-39.0	0.0						
			CLAY, fat, mostly clay, trace shell fragments, medium to high plasticity, trace shell fragments, stiff, greenish gray (CH)	NS			
-53.9	14.9						
-56.4	17.4		CLAY, fat, mostly clay, some silt, trace shell fragments, trace wood debris, medium to high plasticity, stiff, with poorly-graded, fine-grained sand lenses, greenish gray (CH)				
			NOTES: 1. Soils are field visually classified in accordance with the Unified Soils Classification System. 2. NS = Sample not submitted for laboratory analysis from this interval. 3. Seafloor elevation calculated using sampling vessel's fathometer water depth reading and applying NOAA tidal gauge data conversion factor.				