

DRILLING LOG		DIVISION		INSTALLATION		SHEET 1 OF 1	
1. PROJECT Gulf Shores, AL - Beach Restoration				10. SIZE AND TYPE OF BIT 4" VIBRACORE			
2. LOCATION (Coordinates or Station) X=1913481.400 Y=83494.900				11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLLW			
3. DRILLING AGENCY A.O.S.S./Olsen Associates, Inc.				12. MANUFACTURER'S DESIGNATION OF DRILL PNEUMATIC VIBRACORE			
4. HOLE NO. (As shown on drawing title and file number) C-17				13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 3 undisturbed: 0			
5. NAME OF DRILLER C.Dill/E. Olsen				14. TOTAL NUMBER OF CORE BOXES 2			
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED				15. ELEVATION GROUND WATER			
7. THICKNESS OF BURDEN 0 Ft.				16. DATE HOLE STARTED COMPLETED 11-27-99 11-27-99			
8. DEPTH DRILLED INTO ROCK 0 Ft.				17. ELEVATION TOP OF HOLE -26.1 Ft.			
9. TOTAL DEPTH OF HOLE 12.6 Ft.				18. TOTAL CORE RECOVERY FOR BORING 100 %			
				19. SIGNATURE OF G. ZARILLO, SEA, INC			
ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS	
-26.1	.0					-26.1	0
			Light brown, medium to fine quartz sand. 10 YR 8/2 (SP)		0.5		
-29.2	3.1			100			2.5
			Grey-light grey fine sand. 10 YR 7/1 (SP)		4.0		
-30.9	4.8						5
			Grey fine sand, scattered small whole shells. 10 YR 6/1 (SP)			-32.1	
					8.0		7.5
-35.7	9.6			100			10
			Light grey fine sand. 10 YR 7/1 (SP)				
-38.7	12.6					-38.7	12.5
							15
							17.5
							20
						Composite 0-12.6 ft.	22.5