

DRILLING LOG		DIVISION		INSTALLATION		SHEET 1 OF 1	
1. PROJECT Gulf Shores, AL - Beach Restoration				10. SIZE AND TYPE OF BIT 4" VIBRACORE			
2. LOCATION (Coordinates or Station) X=1915976.000 Y=85039.100				11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLLW			
3. DRILLING AGENCY A.O.S.S./Olsen Associates, Inc.				12. MANUFACTURER'S DESIGNATION OF DRILL PNEUMATIC VIBRACORE			
4. HOLE NO. (As shown on drawing title and file number) C-23				13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 5 undisturbed: 0			
5. NAME OF DRILLER C.Dill/E. Olsen				14. TOTAL NUMBER OF CORE BOXES 2			
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED				15. ELEVATION GROUND WATER			
7. THICKNESS OF BURDEN 0 Ft.				16. DATE HOLE STARTED COMPLETED 11-27-99 11-27-99			
8. DEPTH DRILLED INTO ROCK 0 Ft.				17. ELEVATION TOP OF HOLE -30.2 Ft.			
9. TOTAL DEPTH OF HOLE 18.2 Ft.				18. TOTAL CORE RECOVERY FOR BORING 100 %			
				19. SIGNATURE OF G. ZARILLO, SEA, INC			
ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS	
-30.2	.0					-30.2	0
			Light brown fine sand. 10 YR 8/2 (SP)	100	0.5		
					3.0		2.5
-34.7	4.5		White fine quartz sand. 10 YR 8/1 (SP)	100	8.0	-35.2	5
							7.5
-38.1	8.9		Light grey fine sand. 10 YR 7/1 (SP)				
-40.0	9.8		White fine sand. 10 YR 8/1 (SP)	100	11.0	-40.2	10
						Thin layer of organic stain, 11.1 ft.	
				100			12.5
					15.0	-45.2	15
				100			17.5
-48.4	18.2					-48.4	20
						Composite 0-18.2 ft.	22.5