

DIVISION		SHEET 1 OF 1	
1. PROJECT Gulf Shores, AL - Beach Restoration		10. SIZE AND TYPE OF BIT 4" VIBRACORE	
2. LOCATION (Coordinates or Station) X=1901633.400 Y=82032.500		11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLLW	
3. DRILLING AGENCY A.O.S.S./Olsen Associates, Inc.		12. MANUFACTURER'S DESIGNATION OF DRILL PNEUMATIC VIBRACORE	
4. HOLE NO. (As shown on drawing title and file number) C-28		13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 4 undisturbed: 0	
5. NAME OF DRILLER C.Dill/E. Olsen		14. TOTAL NUMBER OF CORE BOXES 2	
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		15. ELEVATION GROUND WATER	
7. THICKNESS OF BURDEN 0 Ft.		16. DATE HOLE STARTED COMPLETED 11-25-99 11-25-99	
8. DEPTH DRILLED INTO ROCK 0 Ft.		17. ELEVATION TOP OF HOLE -27.6 Ft.	
9. TOTAL DEPTH OF HOLE 13.5 Ft.		18. TOTAL CORE RECOVERY FOR BORING 100 %	
		19. SIGNATURE OF G. ZARILLO, SEA, INC	

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS
-27.6	0					-27.6
			Pale brown fine sand, worm tubes. 10 YR 8/2 (SP)		0.5	
-29.1	1.5					
			Light grey fine sand. 10 YR 7/1-7/2 (SP)	100		
					4.0	
-32.6	5.0					-32.6
-33.1	5.5		Pale brown fine sand, scattered shell fragments to 1/4 inch. 10 YR 8/2 (SP)			
			Grey fine sand. 10 YR 6/1 (SP)	100		
					8.0	
-36.5	8.9					
			Light brownish-grey medium to fine sand. 10 YR 6/2 (SP)			-37.6
-38.1	10.5					
			Light grey fine sand. 10 YR 7/1 (SP)	100		
					12.0	
-41.1	13.5					-41.1
Composite 0.0-13.5 ft.						