

DRILLING LOG		DIVISION		INSTALLATION		SHEET 1 OF 1	
1. PROJECT Baldwin County, AL: Olsen Associates				10. SIZE AND TYPE OF BIT 4" VIBRACORE			
2. LOCATION (Coordinates or Station) X=1962524.650 Y=95557.010				11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW			
3. DRILLING AGENCY AOSS/Olsen Associates, Inc.				12. MANUFACTURER'S DESIGNATION OF DRILL ALPINE PNEUMATIC VIBRACORE			
4. HOLE NO. (As shown on drawing title and file number) BC-1				13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 3 undisturbed: 0			
5. NAME OF DRILLER G. Wiegman/A. Browder				14. TOTAL NUMBER OF CORE BOXES 2			
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED				15. ELEVATION GROUND WATER			
7. THICKNESS OF BURDEN 0 Ft.				16. DATE HOLE STARTED COMPLETED 12-2-02 12-2-02			
8. DEPTH DRILLED INTO ROCK 0 Ft.				17. ELEVATION TOP OF HOLE -21.9 Ft.			
9. TOTAL DEPTH OF HOLE 18.2 Ft.				18. TOTAL CORE RECOVERY FOR BORING 100 %			
				19. SIGNATURE OF G. Zarillo, SEA, Inc.			
ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS	
-21.9	.0					-21.9	0
			White to very light gray medium to fine quartz sand, trace of white shell fragments in fine gravel range. 10 YR 8.5/0.5-9/0.5 (SP)	100	10		2.5
-26.9	5.0					-26.9	5
			Light gray medium to fine quartz sand, trace of shell fragments and whole shells. 10 YR 7.5/0.5-8/0.5 (SP)	100	8.0		7.5
-28.8	7.9						10
			White medium to fine quartz sand. 10 YR 9/0.5 (SP)	100		-31.9	12.5
							15
					16.0	-36.9	17.5
-40.1	18.2					-40.1	20
						Composite 0-16.0 ft.	
						Final 5/1/03	
							22.5