

DRILLING LOG		DIVISION	INSTALLATION		SHEET 1 OF 1	
1. PROJECT Baldwin County, AL: Olsen Associates			10. SIZE AND TYPE OF BIT 4" VIBRACORE			
2. LOCATION (Coordinates or Station) X=1954992.570 Y=92012.040			11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW			
3. DRILLING AGENCY AOSS/Olsen Associates, Inc.			12. MANUFACTURER'S DESIGNATION OF DRILL ALPINE PNEUMATIC VIBRACORE			
4. HOLE NO. (As shown on drawing title and file number) BC-6			13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 3 undisturbed: 0			
5. NAME OF DRILLER G. Wiegman/A. Browder			14. TOTAL NUMBER OF CORE BOXES 2			
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED			15. ELEVATION GROUND WATER			
7. THICKNESS OF BURDEN 0 Ft.			16. DATE HOLE STARTED COMPLETED 12-02-02 12-02-02			
8. DEPTH DRILLED INTO ROCK 0 Ft.			17. ELEVATION TOP OF HOLE -28.6 Ft.			
9. TOTAL DEPTH OF HOLE 16.7 Ft.			18. TOTAL CORE RECOVERY FOR BORING 84 %			
			19. SIGNATURE OF G. Zerillo, SEA, Inc.			

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS
-28.6	.0					-28.6
-28.5	.9		Light tannish gray medium to fine quartz sand, inclusion of plastic silt at 0.2 ft. 10 YR 8/1.5 (SP)			
-31.0	2.4		Light gray medium to fine quartz sand, scattered inclusions of decayed organic matter. 10 YR 8/0.5 (SP)	100	10	
-31.8	3.2		Gray to light gray fine quartz sand, trace of gray silt. 10 YR 7.5/0.5-7/0.5 (SP)			
-32.5	3.9		Coarse gray shell fragments and whole shells - "storm layer," mixed with gray silty sand. 10 YR 7/1-7/1.5 (SW)			-33.6
			Tannish-gray medium quartz sand, abundant shell fragments, trace of silt. 10 YR 7.5/2-7.5/2.5 (SP)		6.0	
			Very light gray fine quartz sand, few scattered shell fragments and whole shells in fine to coarse gravel range. 10 YR 8/0.5-8/1 (SP)	100		
						-38.6
					12.0	
				100		
-43.7	15.1					-43.6
-44.1	15.5		Gray fine quartz sand, trace of silt. 10 YR 7/0.5 (SP)	100		
-45.0	16.4		Gray medium to fine quartz sand, some silt, abundant white to gray shell fragments. 10 YR 7/0.5 (SP)			-45.3
-45.3	16.7		Gray plastic clay and silt, shell fragments and whole shells. 10 YR 5.5/0.5 (CL)			
						Composite 0-13.0 ft.
						Final 3/24/03