

DRILLING LOG		DIVISION		INSTALLATION	
1. PROJECT Baldwin County, AL: Olsen Associates		10. SIZE AND TYPE OF BIT 4" VIBRACORE		SHEET 1 OF 1	
2. LOCATION (Coordinates or Station) X=1945021.460 Y=90983.360		11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW			
3. DRILLING AGENCY AOSS/Olsen Associates, Inc.		12. MANUFACTURER'S DESIGNATION OF DRILL ALPINE PNEUMATIC VIBRACORE			
4. HOLE NO. (As shown on drawing title and file number) BC-11		13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 0 undisturbed: 0			
5. NAME OF DRILLER G. Wiegman/A. Browder		14. TOTAL NUMBER OF CORE BOXES 2			
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		15. ELEVATION GROUND WATER			
7. THICKNESS OF BURDEN 0 Ft.		16. DATE HOLE STARTED COMPLETED 12-2-02 12-2-02			
8. DEPTH DRILLED INTO ROCK 0 Ft.		17. ELEVATION TOP OF HOLE -25.7 Ft.			
9. TOTAL DEPTH OF HOLE 19.5 Ft.		18. TOTAL CORE RECOVERY FOR BORING 99 %			
		19. SIGNATURE OF G. Zarillo, SEA, Inc.			

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS
-25.7	.0					-25.7
			Light tannish gray fine quartz sand, trace of silt in collapsed burrow. 10 YR 8.5/1 (SP)	100		
-30.3	4.6		Light gray fine quartz sand. 10 YR 8/0.5-8.5/0.5 (SP)	100		-30.7
-34.5	8.8		Dark gray silty quartz sand, white shell fragments. 10 YR 5.5/0.5 (SM)	100		-35.7
-40.5	14.8		Dark gray silt, shell fragments and whole shells. 10 YR 5.5/0.5 (ML)	100		-40.7
-45.2	19.5					-45.2
						Composite 0-8.0 ft.
						Final 5/1/03