

DRILLING LOG		DIVISION		INSTALLATION		SHEET 1 OF 1	
1. PROJECT Baldwin County, AL: Olsen Associates				10. SIZE AND TYPE OF BIT 4" VIBRACORE			
2. LOCATION (Coordinates or Station) X=1931990.960 Y=86527.910				11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW			
3. DRILLING AGENCY AOSS/Olsen Associates, Inc.				12. MANUFACTURER'S DESIGNATION OF DRILL ALPINE PNEUMATIC VIBRACORE			
4. HOLE NO. (As shown on drawing title and file number) BC-19				13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 0 undisturbed: 0			
5. NAME OF DRILLER G. Wiegman/A. Browder				14. TOTAL NUMBER OF CORE BOXES 2			
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED				15. ELEVATION GROUND WATER			
7. THICKNESS OF BURDEN 0 Ft.				16. DATE HOLE STARTED COMPLETED 12-3-02 12-3-02			
8. DEPTH DRILLED INTO ROCK 0 Ft.				17. ELEVATION TOP OF HOLE -27.2 Ft.			
9. TOTAL DEPTH OF HOLE 18.4 Ft.				18. TOTAL CORE RECOVERY FOR BORING 100 %			
				19. SIGNATURE OF G. Zerillo, SEA, Inc.			
ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS	
-27.2	.0		Dark gray clay and silt. 10 YR 6.5/0.5 (CL)			-27.2	0
-29.3	2.1		Brownish gray silty sand. 10 YR 6.5/0.5-6/1.5 (SM)	100			2.5
-31.8	4.6		White medium to fine quartz sand. 10 YR 9/0.5 (SP)	100		-32.2	5
				100			7.5
				100		-37.2	10
				100		-42.2	15
-44.0	16.8		Brownish gray silty sand. 10 YR 6/1.5 (SM)	100			17.5
-45.6	18.4		White fine quartz sand. 10 YR 9/0.5 (SP)			-45.6	
						No samples	20
						Final 5/22/03	
							22.5