

DRILLING LOG		DIVISION		INSTALLATION		SHEET 1 OF 1	
1. PROJECT Baldwin County, AL: Olsen Associates				10. SIZE AND TYPE OF BIT 4" VIBRACORE			
2. LOCATION (Coordinates or Station) X=1927999.160 Y=85033.050				11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW			
3. DRILLING AGENCY AOSS/Olsen Associates, Inc.				12. MANUFACTURER'S DESIGNATION OF DRILL ALPINE PNEUMATIC VIBRACORE			
4. HOLE NO. (As shown on drawing title and file number) BC-27				13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 2 undisturbed: 0			
5. NAME OF DRILLER G. Wiegman/A. Browder				14. TOTAL NUMBER OF CORE BOXES 2			
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED				15. ELEVATION GROUND WATER			
7. THICKNESS OF BURDEN 0 Ft.				16. DATE HOLE STARTED COMPLETED 12-03-02 12-03-02			
8. DEPTH DRILLED INTO ROCK 0 Ft.				17. ELEVATION TOP OF HOLE -27.1 Ft.			
9. TOTAL DEPTH OF HOLE 17.0 Ft.				18. TOTAL CORE RECOVERY FOR BORING 95 %			
				19. SIGNATURE OF G. Zarillo, SEA, Inc.			
ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS	
-27.1	.0					-27.1	0
-28.1	1.0		White to tannish white fine quartz sand, few white shell fragments in coarse sand to fine gravel range. 10 YR 8.5/0.5-8.5/1.5 (SP)				
-28.7	2.6		Light gray to white fine quartz sand, abundant small white to gray shell fragments in coarse sand to fine gravel range. 10 YR 7.5/0.5-8.5/0.5 (SP)	100			2.5
-28.8	2.8		Medium tannish gray fine silty quartz sand, abundant shell fragments and whole shells, inclusion of gray plastic clay. 10 YR 7/1-7.5/1 (SM)		4.0	-32.1	5
-32.8	5.8		Light gray fine quartz sand, inclusions of silty sand and decayed organic matter. 10 YR 7.5/0.5-8/0.5 (SP)				
			Light tannish gray to white fine quartz sand, scattered thin layers of gray to white crushed shell. 10 YR 8/1-8.5/0.5 (SP)	100			7.5
						-37.1	10
				100	12.0		12.5
-40.6	13.5		Medium gray to light gray fine quartz sand, abundant white to gray shell fragments in coarse sand to fine gravel range. 10 YR 7.5/0.5-8/0.5 (SP)			-42.1	15
-44.1	17.0			100		-44.1	17.5
						Composite 0-12.0 ft.	20
						Final 6/24/03	22.5