

DRILLING LOG		DIVISION		INSTALLATION		SHEET 1 OF 1	
1. PROJECT Baldwin County, AL: Olsen Associates				10. SIZE AND TYPE OF BIT 4" VIBRACORE			
2. LOCATION (Coordinates or Station) X=1953991.830 Y=92968.780				11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW			
3. DRILLING AGENCY AOSS/Olsen Associates, Inc.				12. MANUFACTURER'S DESIGNATION OF DRILL ALPINE PNEUMATIC VIBRACORE			
4. HOLE NO. (As shown on drawing title and file number) BC-40				13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 3 undisturbed: 0			
5. NAME OF DRILLER G. Wiegman/A. Browder				14. TOTAL NUMBER OF CORE BOXES 2			
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED				15. ELEVATION GROUND WATER			
7. THICKNESS OF BURDEN 0 Ft.				16. DATE HOLE STARTED COMPLETED 12-06-02 12-06-02			
8. DEPTH DRILLED INTO ROCK 0 Ft.				17. ELEVATION TOP OF HOLE -27.8 Ft.			
9. TOTAL DEPTH OF HOLE 16.2 Ft.				18. TOTAL CORE RECOVERY FOR BORING 85 %			
				19. SIGNATURE OF G. Zerillo, SEA, Inc.			
ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS	
-27.8	.0					-27.8	0
-28.7	1.9		Light gray fine quartz sand, inclusions of decayed organic matter. 10 YR 8/0.5 (SP)	100	10		2.5
			Light gray fine quartz sand, scattered shell fragments and whole shells in fine to medium gravel range. 10 YR 7.5/0.5 (SP)	100	8.0	Crushed shell inclusion at 8.7 ft.	7.5
				100	13.0		12.5
-42.5	14.7		Gray silty sand, very abundant shell fragments. 10 YR 5.5/0.5 (SM)	100		-42.8	15
-44.0	16.2					-44.0	17.5
						Composite 0-13.0 ft.	20
						Final 3/24/03	22.5