

DRILLING LOG		DIVISION	INSTALLATION		SHEET 1 OF 1	
1. PROJECT Baldwin County, AL: Olsen Associates			10. SIZE AND TYPE OF BIT 4" VIBRACORE			
2. LOCATION (Coordinates or Station) X=1954982.620 Y=93964.510			11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW			
3. DRILLING AGENCY AOSS/Olsen Associates, Inc.			12. MANUFACTURER'S DESIGNATION OF DRILL ALPINE PNEUMATIC VIBRACORE			
4. HOLE NO. (As shown on drawing title and file number) BC-43			13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 3 undisturbed: 0			
5. NAME OF DRILLER G Wiegman/A. Browder			14. TOTAL NUMBER OF CORE BOXES 2			
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED			15. ELEVATION GROUND WATER			
7. THICKNESS OF BURDEN 0 Ft.			16. DATE HOLE STARTED COMPLETED 12-6-02 12-6-02			
8. DEPTH DRILLED INTO ROCK 0 Ft.			17. ELEVATION TOP OF HOLE -27.6 Ft.			
9. TOTAL DEPTH OF HOLE 19.5 Ft.			18. TOTAL CORE RECOVERY FOR BORING 100 %			
			19. SIGNATURE OF G. Zarillo, SEA, Inc.			

  

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS
-27.6	.0					-27.6
			White to very light gray fine quartz sand. 10 YR 8.5/0.5-9/0.5 (SP)	100	1.0	
-31.1	3.5					
			Very light gray to white medium to fine quartz sand. 10 YR 8/0.5-8.5/0.5 (SP)	100	8.0	
						-32.6
						-37.6
						-42.6
-42.7	15.1					
			White fine quartz sand. 10 YR 9/0.5 (SP)	100	16.0	
-45.2	17.6					
			White to very light gray fine quartz sand. 10 YR 8.5/0.5-9/0.5 (SP)			
-47.1	19.5					-47.1
						Composite 0-18.0 ft.
						Final 3/24/03