

DRILLING LOG		DIVISION		INSTALLATION		SHEET 1 OF 1	
1. PROJECT Baldwin County, AL: Olsen Associates				10. SIZE AND TYPE OF BIT 4" VIBRACORE			
2. LOCATION (Coordinates or Station) X=1885979.340 Y=80506.720				11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW			
3. DRILLING AGENCY AOSS/Olsen Associates, Inc.				12. MANUFACTURER'S DESIGNATION OF DRILL ALPINE PNEUMATIC VIBRACORE			
4. HOLE NO. (As shown on drawing title and file number) BC-61R1-R2				13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 0 undisturbed: 0			
5. NAME OF DRILLER G. Wiegman/A. Browder				14. TOTAL NUMBER OF CORE BOXES 2			
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED				15. ELEVATION GROUND WATER			
7. THICKNESS OF BURDEN 0 Ft.				16. DATE HOLE STARTED COMPLETED 12-8-02 12-8-02			
8. DEPTH DRILLED INTO ROCK 0 Ft.				17. ELEVATION TOP OF HOLE -32.0 Ft.			
9. TOTAL DEPTH OF HOLE 13.7 Ft.				18. TOTAL CORE RECOVERY FOR BORING 89 %			
				19. SIGNATURE OF G. Zarillo, SEA, Inc.			
ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS	
-32.0	.0		Gray silt, some fine quartz sand and gray clay, abundant whole shells and shell fragments in fine to medium gravel range. 10 YR 6/0.5 (ML)	100		-32.0	0
-36.3	6.3		Gray clay and silt, shell fragments in fine to medium gravel range. 10 YR 7/0.5 (CL)	100		-37.0	5
-40.3	8.3		Gray silt and clay, very abundant large whole oyster shells and shell fragments. 10 YR 6.5/0.5 (GM)	100		-42.0	10
-45.7	13.7					-45.7	13.7
							15
							17.5
							20
							22.5
						Final 5/22/03	