

DRILLING LOG		DIVISION		INSTALLATION		SHEET 1 OF 1	
1. PROJECT Baldwin County, AL: Olsen Associates				10. SIZE AND TYPE OF BIT 4" VIBRACORE			
2. LOCATION (Coordinates or Station) X=1902455.410 Y=80519.110				11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW			
3. DRILLING AGENCY AOSS/Olsen Associates, Inc.				12. MANUFACTURER'S DESIGNATION OF DRILL ALPINE PNEUMATIC VIBRACORE			
4. HOLE NO. (As shown on drawing title and file number) BC-66				13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 0 undisturbed: 0			
5. NAME OF DRILLER G. Wiegman/A. Browder				14. TOTAL NUMBER OF CORE BOXES 2			
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED				15. ELEVATION GROUND WATER			
7. THICKNESS OF BURDEN 0 Ft.				16. DATE HOLE STARTED COMPLETED 12-8-02 12-8-02			
8. DEPTH DRILLED INTO ROCK 0 Ft.				17. ELEVATION TOP OF HOLE -27.4 Ft.			
9. TOTAL DEPTH OF HOLE 18.1 Ft.				18. TOTAL CORE RECOVERY FOR BORING 90 %			
				19. SIGNATURE OF G. Zerillo, SEA, Inc.			
ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS	
-27.4	.0		Light tannish gray fine quartz sand, trace of silt and clay in burrow linings, worm tubes. 10 YR 8/1-8/0.5 (SP)			-27.4	0
				100			2.5
-31.0	3.6		Light gray fine quartz sand, whole shells and scattered shell fragments in medium gravel range. 10 YR 8/1-8/0.5 (SP)			-32.4	5
						Black organic clay at 6-6.1 ft.	
-33.6	6.4		Tan to brownish gray fine quartz sand, large shell fragments and whole shells in medium to coarse gravel range. 10 YR 7/1-7/2 (SP)	100			7.5
-35.6	8.2		Gray to brownish gray fine silty sand, scattered large shell fragments and whole shells. 10 YR 7/1.5 (SM)			-37.4	10
-37.2	9.8		Gray to light gray fine quartz sand. 10 YR 7.5/0.5-7/1 (SP)				
-38.4	11.0		Gray silty sand, trace of shell fragments. 10 YR 8.5/0.5 (SM)	100			12.5
-40.3	12.9		Light gray fine quartz sand, gray clay in collapsed burrows. 10 YR 8/0.5-8.5/0.5 (SP)			-42.4	15
-41.1	13.7		Gray to light gray fine quartz sand, trace of gray silt and clay. 10 YR 7.5/0.5-8/0.5 (SP)				
-42.5	15.1		Brownish gray silty sand, abundant shell fragments and whole shells. 10 YR 5.5/1-6/1.5 (SM)	100		-45.5	17.5
-43.5	16.1		Gray to orange silt and clay. 10 YR 6/2-7.5/4 (ML)				
-45.5	18.1						20
						Composite 0-5.0 ft.	
						Final 5/13/03	
							22.5