

DRILLING LOG		DIVISION	INSTALLATION	SHEET 1 OF 1
1. PROJECT Baldwin County, AL: Olsen Associates		10. SIZE AND TYPE OF BIT 4" VIBRACORE		
2. LOCATION (Coordinates or Station) X=1917023.720 Y=83988.490		11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW		
3. DRILLING AGENCY AOSS/Olsen Associates, Inc.		12. MANUFACTURER'S DESIGNATION OF DRILL ALPINE PNEUMATIC VIBRACORE		
4. HOLE NO. (As shown on drawing title and file number) BC-76		13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 3 undisturbed: 0		
5. NAME OF DRILLER G. Wiegman/A. Browder		14. TOTAL NUMBER OF CORE BOXES 2		
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		15. ELEVATION GROUND WATER		
7. THICKNESS OF BURDEN 0 Ft.		16. DATE HOLE STARTED COMPLETED 12-11-02 12-11-02		
8. DEPTH DRILLED INTO ROCK 0 Ft.		17. ELEVATION TOP OF HOLE -29.0 Ft.		
9. TOTAL DEPTH OF HOLE 19.8 Ft.		18. TOTAL CORE RECOVERY FOR BORING 100 %		
		19. SIGNATURE OF G. Zarillo, SEA, Inc.		

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS
-29.0	.0					-29.0
			Light tannish gray to white fine quartz sand, trace of silt. 10 YR 7.5/1.5-8.5/0.5 (SP)			
-30.9	1.9			100	10	
			White fine quartz sand, few scattered inclusions of decayed organic matter, scattered gray to light gray shell fragments. 10 YR 8.5/0.5-9/0.5 (SP)			
						-34.0
				100	8.0	
						-39.0
				100	12.0	
-44.3	15.3					-44.0
-44.8	15.8		Gray silt mixed with large whole shells and shell fragments. 10 YR 7/0.5-7/1.0 (SM)			Large whole shell at 15.2-15.3 ft.
			Light tan to orange tan plastic silt and clay. 10 YR 8.5/2-8.5/2.5 (CL)	100		
-48.8	19.8					-48.8
						Composite 0-13.0 ft.
						Final 4/1/03