

<b>DRILLING LOG</b>	DIVISION	INSTALLATION	SHEET 1 OF 1
1. PROJECT Baldwin County, AL: Olsen Associates		10. SIZE AND TYPE OF BIT 4" VIBRACORE	
2. LOCATION (Coordinates or Station) X=1953983.190 Y=72968.820		11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW	
3. DRILLING AGENCY AOSS/Olsen Associates, Inc.		12. MANUFACTURER'S DESIGNATION OF DRILL ALPINE PNEUMATIC VIBRACORE	
4. HOLE NO. (As shown on drawing title and file number) BC-113R2		13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 1 undisturbed: 0	
5. NAME OF DRILLER G. Wiegman/A. Browder		14. TOTAL NUMBER OF CORE BOXES 1	
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		15. ELEVATION GROUND WATER	
7. THICKNESS OF BURDEN 0 Ft.		16. DATE HOLE STARTED COMPLETED 12-15-02 12-15-02	
8. DEPTH DRILLED INTO ROCK 0 Ft.		17. ELEVATION TOP OF HOLE -27.5 Ft.	
9. TOTAL DEPTH OF HOLE 15.1 Ft.		18. TOTAL CORE RECOVERY FOR BORING 48 %	
		19. SIGNATURE OF G. Zarillo, SEA, Inc.	

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS
-27.5	.0					-27.5
				0		
						-32.5
				0		
-38.1	10.6					-38.1
			Light tannish gray fine quartz sand. 10 YR 7.5/0.5 (SP)		110	Thin layer of dark gray
-38.8	12.4					plastic clay at 12.4 ft.
			Tannish gray silty quartz, scattered large whole shells and shell fragments in medium to coarse gravel range. 10 YR 6.5/2 (SM)	100		
-42.6	15.1					-42.6
						Final 4/15/03