

<b>DRILLING LOG</b>		DIVISION	INSTALLATION
1. PROJECT Baldwin County, AL: Olsen Associates		SHEET 1 OF 1	
2. LOCATION (Coordinates or Station) X=1892034.760 Y=80581.280		10. SIZE AND TYPE OF BIT 4" VIBRACORE	
3. DRILLING AGENCY AOSS/Olsen Associates, Inc.		11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW	
4. HOLE NO. (As shown on drawing title and file number) BC-131		12. MANUFACTURER'S DESIGNATION OF DRILL ALPINE PNEUMATIC VIBRACORE	
5. NAME OF DRILLER G. Wiegman/A. Browder		13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 0 undisturbed: 0	
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		14. TOTAL NUMBER OF CORE BOXES 2	
7. THICKNESS OF BURDEN 0 Ft.		15. ELEVATION GROUND WATER	
8. DEPTH DRILLED INTO ROCK 0 Ft.		16. DATE HOLE STARTED COMPLETED 12-16-02 12-16-02	
9. TOTAL DEPTH OF HOLE 19.1 Ft.		17. ELEVATION TOP OF HOLE -35.4 Ft.	
		18. TOTAL CORE RECOVERY FOR BORING 100 %	
		19. SIGNATURE OF G. Zarillo, SEA, Inc.	

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS
-35.4	.0					-35.4
-37.3	1.9		Gray silty sand very abundant large shell fragments and whole shells. 10 YR 6.5/0.5 (SM)			
			Gray silt and clay. 10 YR 6.5/0.5 (ML)	100		
						-40.4
				100		
-44.8	9.4		Gray silty quartz sand. 10 YR 6.5/0.5-7/0.5 (SM)			-45.4
				100		
						-50.4
				100		
-53.8	18.4		Gray to light gray medium to fine quartz sand. 10 YR 6.5/0.5-7.5/0.5 (SP)			-54.5
-54.5	19.1					No samples
						Final 5/22/03