

DRILLING LOG		DIVISION		INSTALLATION		SHEET 1 OF 1	
1. PROJECT Baldwin County, AL: Olsen Associates				10. SIZE AND TYPE OF BIT 4" VIBRACORE			
2. LOCATION (Coordinates or Station) X=1917478.270 Y=85511.470				11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW			
3. DRILLING AGENCY AOSS/Olsen Associates, Inc.				12. MANUFACTURER'S DESIGNATION OF DRILL ALPINE PNEUMATIC VIBRACORE			
4. HOLE NO. (As shown on drawing title and file number) BC-142				13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 3 undisturbed: 0			
5. NAME OF DRILLER G. Wiegman/A. Browder				14. TOTAL NUMBER OF CORE BOXES 2			
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED				15. ELEVATION GROUND WATER			
7. THICKNESS OF BURDEN 0 Ft.				16. DATE HOLE STARTED COMPLETED 12-17-02 12-17-02			
8. DEPTH DRILLED INTO ROCK 0 Ft.				17. ELEVATION TOP OF HOLE -29.9 Ft.			
9. TOTAL DEPTH OF HOLE 17.5 Ft.				18. TOTAL CORE RECOVERY FOR BORING 95 %			
				19. SIGNATURE OF G. Zerillo, SEA, Inc.			
ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS	
-29.9	.0					-29.9	0
			Light tannish gray fine quartz sand. 10 YR 8/1 (SP)				
-32.2	2.3			100	10		
			Light gray to tannish gray fine quartz sand, scattered gray to white shell fragments in fine to coarse gravel range. 10 YR 8/0.5-8/1 (SP)				
						Large wood fragment at 4.4 ft.	
-36.5	6.6			100	8.0	-34.9	5
			Very light gray to white medium to fine quartz sand, few large whole shells. 10 YR 8.5/0.5-9/0.5 (SP)				
				100			
						-38.9	10
				100	14.0	Large whole shell at 11.5 ft.	
				100		-44.9	15
-47.4	17.5					-47.4	17.5
						Composite 0-16.0 ft.	20
						Final 4/1/03	
							22.5