

DRILLING LOG		DIVISION	INSTALLATION	SHEET 1 OF 1 SHEETS
1. PROJECT Baldwin County, AL 2006 Phase I Sand Search Baldwin County, Alabama			9. SIZE AND TYPE OF BIT 4.0 In.	
2. BORING DESIGNATION BC06-18			10. COORDINATE SYSTEM/DATUM State Plane AL	
LOCATION COORDINATES X = 1,938,493 Y = -5,609			HORIZONTAL NAD 1983 VERTICAL NAVD 88	
3. DRILLING AGENCY Olsen Associates, Inc		11. MANUFACTURER'S DESIGNATION OF DRILL <input type="checkbox"/> AUTO HAMMER Pneumatic <input type="checkbox"/> MANUAL HAMMER		
CONTRACTOR FILE NO.		12. TOTAL SAMPLES DISTURBED UNDISTURBED (UD)		
4. NAME OF DRILLER Alpine Ocean Seismic Survey Inc			13. TOTAL NUMBER CORE BOXES 2	
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED			14. ELEVATION GROUND WATER	
DEG. FROM VERTICAL BEARING			15. DATE BORING STARTED COMPLETED 05-01-06 05-01-06	
6. THICKNESS OF OVERBURDEN 0.0 Ft.			16. ELEVATION TOP OF BORING -94.3 Ft.	
7. DEPTH DRILLED INTO ROCK 0.0 Ft.			17. TOTAL RECOVERY FOR BORING 20.3 Ft.	
8. TOTAL DEPTH OF BORING 20.3 Ft.			18. SIGNATURE AND TITLE OF INSPECTOR Gary Zarillo, PG	

ELEV. (ft)	DEPTH (ft)	LEGEND	CLASSIFICATION OF MATERIALS Depths and elevations based on measured values	% REC.	BOX OR SAMPLE	REMARKS
-94.3	0.0					
			Gray fine sand, some silt, scattered shell fragments in fine to medium gravel range, gray (10YR-6/1), (SP).		1.0	Sample #1.0, Depth = 1.0'
-98.1	3.8				3.0	Sample #3.0, Depth = 3.0'
-99.9	5.6		Tannish gray silty fine sand, scattered tan echinoid fragments in fine to coarse gravel range, light brownish gray (10YR-6/2), (SM).			
			Gray to tannish gray silt, light brownish gray (10YR-6/2), (ML).		Comp	Sample #Comp, Depth = 6.0' Comp (0-4.0')
-104.0	9.7					
			Gray silty sand, abundant white shell fragments in fine to medium gravel range, gray (10YR-6/1), (SM).			
-114.6	20.3					
			End of Boring			

FLORIDA DEP ROSS OLSEN BALDWIN_FINAL.GPJ FL DEP ROSS.GDT 9/25/06