

DRILLING LOG		DIVISION	INSTALLATION	SHEET 1
1. PROJECT Baldwin County, AL 2006 Phase I Sand Search Baldwin County, Alabama			9. SIZE AND TYPE OF BIT 4.0 In.	
2. BORING DESIGNATION BC06-44			10. COORDINATE SYSTEM/DATUM State Plane AL	
LOCATION COORDINATES X = 1,834,845 Y = 50,095			HORIZONTAL NAD 1983	
3. DRILLING AGENCY Olsen Associates, Inc			11. MANUFACTURER'S DESIGNATION OF DRILL Pneumatic	
CONTRACTOR FILE NO.			<input type="checkbox"/> AUTO HAMMER <input type="checkbox"/> MANUAL HAMMER	
4. NAME OF DRILLER Alpine Ocean Seismic Survey Inc			12. TOTAL SAMPLES	
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED			DISTURBED	
DEG. FROM VERTICAL			UNDISTURBED (UD)	
6. THICKNESS OF OVERBURDEN 0.0 Ft.			13. TOTAL NUMBER CORE BOXES 2	
7. DEPTH DRILLED INTO ROCK 0.0 Ft.			14. ELEVATION GROUND WATER	
8. TOTAL DEPTH OF BORING 18.8 Ft.			15. DATE BORING 05-01-06	
			STARTED 05-01-06	
			COMPLETED 05-01-06	
			16. ELEVATION TOP OF BORING -46.6 Ft.	
			17. TOTAL RECOVERY FOR BORING 18.8 Ft.	
			18. SIGNATURE AND TITLE OF INSPECTOR Gary Zarillo, PG	

ELEV. (ft)	DEPTH (ft)	LEGEND	CLASSIFICATION OF MATERIALS Depths and elevations based on measured values	% REC.	BOX OR SAMPLE	REMARKS
-46.6	0.0					
-49.1	2.5		Light gray fine quartz sand, inclusions and thin layers of gray clay, (10YR-7.5/1), (SP).		1.0	Sample #1.0, Depth = 1.0'
-56.1	9.5		Light gray to white fine quartz sand and scattered inclusions of gray clay in burrow linings and collapsed burrow linings, (10YR-8.5/1), (SP).		6.0	Sample #6.0, Depth = 6.0'
-65.4	18.8		White to near white fine quartz sand, few scattered inclusions of gray clay in thin layers in collapsed burrow linings, (10YR-8.5/1), (SP).		12.0	Sample #12.0, Depth = 12.0'
			End of Boring		18.0	Sample #18.0, Depth = 18.0'
					Comp	Sample #Comp, Depth = 18.8' Comp 90-18.0')

FLORIDA DEP ROSS OLSEN BALDWIN_FINAL.GPJ FL DEP ROSS.GDT 9/25/06