

DRILLING LOG		DIVISION	INSTALLATION	SHEET 1 OF 1 SHEETS
1. PROJECT Baldwin County, AL 2006 Phase I Sand Search Baldwin County, Alabama			9. SIZE AND TYPE OF BIT 4.0 In.	
2. BORING DESIGNATION BC06-48			10. COORDINATE SYSTEM/DATUM State Plane AL	
LOCATION COORDINATES X = 1,821,438 Y = 48,038			HORIZONTAL NAD 1983	
3. DRILLING AGENCY Olsen Associates, Inc			11. MANUFACTURER'S DESIGNATION OF DRILL Pneumatic	
CONTRACTOR FILE NO.			<input type="checkbox"/> AUTO HAMMER <input type="checkbox"/> MANUAL HAMMER	
4. NAME OF DRILLER Alpine Ocean Seismic Survey Inc			12. TOTAL SAMPLES	
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED			DISTURBED	
DEG. FROM VERTICAL			UNDISTURBED (UD)	
BEARING			13. TOTAL NUMBER CORE BOXES 2	
6. THICKNESS OF OVERBURDEN 0.0 Ft.			14. ELEVATION GROUND WATER	
7. DEPTH DRILLED INTO ROCK 0.0 Ft.			15. DATE BORING 05-01-06	
8. TOTAL DEPTH OF BORING 19.2 Ft.			STARTED 05-01-06	
			COMPLETED 05-01-06	
			16. ELEVATION TOP OF BORING -46.4 Ft.	
			17. TOTAL RECOVERY FOR BORING 19.2 Ft.	
			18. SIGNATURE AND TITLE OF INSPECTOR Gary Zarillo, PG	

ELEV. (ft)	DEPTH (ft)	LEGEND	CLASSIFICATION OF MATERIALS Depths and elevations based on measured values	% REC.	BOX OR SAMPLE	REMARKS
-46.4	0.0					
			Light gray fine quartz sand, gray, tan, and white shell fragments and whole shells in fine to coarse gravel range, (10YR-7.5/1), (SP).		1.0	Sample #1.0, Depth = 1.0'
					5.0	Sample #5.0, Depth = 5.0'
-52.7	6.3					
			Brownish gray fine quartz sand, some gray silt, scattered gray shell fragments in fine to coarse gravel range, light brownish gray (10YR-6/2), (SP).		10.0	Sample #10.0, Depth = 10.0'
					12.0	Sample #12.0, Depth = 12.0'
-60.0	13.6					
			Brownish gray silty fine quartz sand, scattered gray shell fragments in medium gravel range, light brownish gray (10YR-6/2), (SM).		Comp	Sample #Comp, Depth = 16.0' Comp (0-12.0')
-65.6	19.2					
			End of Boring			

FLORIDA DEP ROSS OLSEN BALDWIN_FINAL.GPJ FL DEP ROSS.GDT 9/25/06