

DRILLING LOG		DIVISION	INSTALLATION	SHEET 1 OF 1 SHEETS
1. PROJECT Baldwin County, AL 2006 Phase I Sand Search Baldwin County, Alabama			9. SIZE AND TYPE OF BIT 4.0 In.	
2. BORING DESIGNATION BC06-58			10. COORDINATE SYSTEM/DATUM State Plane AL	
LOCATION COORDINATES X = 1,798,987 Y = 67,681			HORIZONTAL NAD 1983	
3. DRILLING AGENCY Olsen Associates, Inc			11. MANUFACTURER'S DESIGNATION OF DRILL Pneumatic	
CONTRACTOR FILE NO.			<input type="checkbox"/> AUTO HAMMER <input type="checkbox"/> MANUAL HAMMER	
4. NAME OF DRILLER Alpine Ocean Seismic Survey Inc			12. TOTAL SAMPLES	
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED			DISTURBED	
DEG. FROM VERTICAL			UNDISTURBED (UD)	
6. THICKNESS OF OVERBURDEN 0.0 Ft.			13. TOTAL NUMBER CORE BOXES 2	
7. DEPTH DRILLED INTO ROCK 0.0 Ft.			14. ELEVATION GROUND WATER	
8. TOTAL DEPTH OF BORING 20.4 Ft.			15. DATE BORING 05-01-06	
			STARTED 05-01-06	
			COMPLETED 05-01-06	
			16. ELEVATION TOP OF BORING -16.4 Ft.	
			17. TOTAL RECOVERY FOR BORING 20.4 Ft.	
			18. SIGNATURE AND TITLE OF INSPECTOR Gary Zarillo, PG	

ELEV. (ft)	DEPTH (ft)	LEGEND	CLASSIFICATION OF MATERIALS Depths and elevations based on measured values	% REC.	BOX OR SAMPLE	REMARKS
-16.4	0.0					
-19.5	3.1		Light tannish gray medium to fine quartz sand, gray, tan, and white shell fragments in fine to medium gravel range, very pale brown (10YR-8/2), (SP).		1.0	Sample #1.0, Depth = 1.0'
					5.0	Sample #5.0, Depth = 5.0'
					10.0	Sample #10.0, Depth = 10.0'
					15.0	Sample #15.0, Depth = 15.0'
					18.0	Sample #18.0, Depth = 18.0'
-36.8	20.4		Very light gray fine quartz sand, trace of gray shell fragments in fine gravel and coarse sand range, white (10YR-8/1), (SP).		Comp	Sample #Comp, Depth = 20.0' Comp (0-18.0')
			End of Boring			

FLORIDA DEP ROSS OLSEN BALDWIN_FINAL.GPJ FL DEP ROSS.GDT 9/25/06